

Advanced made simple for you.



ADVANCED FUNCTIONALITY. SIMPLER PRODUCTIVITY.

Featuring the latest in technology, the **imageRUNNER ADVANCE 6000 series** makes document communication simpler than ever. It is designed to integrate seamlessly with your current infrastructure and enhance the document management cycle at every single stage. From black and white prints to full color scanning, annotation and transmission – all the way to the world of Cloud computing – you will discover a new era of quality, convenience and efficiency all in a single multifunctional device.

The **imageRUNNER ADVANCE 6000 series** brings you a world of advancement:

ADVANCED
Scalability
that grows with you.

ADVANCED
Management
that puts you in control.

ADVANCED
Usability and Convenience
that is centered on you.

ADVANCED
Print Quality
that makes you look good.

ADVANCED
Workflow
to suit your needs.

ADVANCED
Security
to protect your critical documents.

ADVANCED
Productivity
you can count on.




Find out how we have made Advanced technologies work simpler for you.

imageRUNNER ADVANCE TECHNOLOGY REACHES NEW HEIGHTS

Cloud computing is gaining acceptance with more and more companies across the globe. Businesses today look to Cloud computing for on-demand scalability. Costly infrastructure, setups and administrative burden are a thing of the past with proper implementation of Cloud Computing technology.

Canon's imageRUNNER ADVANCE maximizes office productivity by allowing users to access Cloud services right from imageRUNNER ADVANCE devices. Users can scan and store their paper documents, or choose to retrieve and print their documents stored in their Cloud service.

Scan-to-Cloud and Print-from-Cloud is simple with Canon's imageRUNNER ADVANCE - all that is needed is an imageRUNNER ADVANCE multifunctional device (MFD); no drivers, additional software or personal computers are required. With the Cloud Scan and Cloud Print support of Google™ Docs and Microsoft™ SharePoint Online, imageRUNNER ADVANCE systems are the perfect way to scan and print through Cloud services.



Important Note:

- * Machine upgrades may be required to support Google™ Docs and Microsoft™ SharePoint Online Cloud services via the imageRUNNER ADVANCE devices. Internet connectivity is required.
- ** Users of Google™ Docs and Microsoft™ SharePoint Online Cloud services are advised to evaluate the benefits and risks of Cloud services and their data security needs.
- *** Availability of the Google™ Docs and Microsoft™ SharePoint Online Cloud services on the imageRUNNER ADVANCE devices varies by country or region. For more information, please contact your local Canon Sales Office.



ADVANCED USABILITY AND CONVENIENCE

Meet the multifunctional device that is optimized for convenience and speed - your way.




Configurable Quick Menu

Complex, frequently used settings can be easily configured to run at the touch of a button. This streamlines every individual's workflow and increases productivity by letting you accomplish more in less time.



Plug and Print Capability

With standard USB input and optional media connectivity options such as Secure Digital (SD) or CompactFlash (CF) Cards, you can walk up to any imageRUNNER ADVANCE 6000 series with your thumbdrive or memory card to scan and print on the spot.



Intuitive User Interface

The new imageRUNNER ADVANCE 6000 interface provides you with a more pleasant navigation experience on an 8.4" full color, high-resolution TFT touchscreen. For even better accessibility, Canon recommends the optional Upright Control Panel. The larger 10.4" screen promotes easier legibility, while tilt and swivel capability allows users to adjust the UI to a comfortable preference.

Innovative Toner System

To maintain the ongoing productivity of your business, the imageRUNNER ADVANCE 6000 series features a toner system that can be replaced - even when your device is delivering printouts.



ADVANCED PRINT QUALITY

Quality prints that truly shine.

ADVANCED imageCHIP System Architecture

To meet and exceed the demands of today's businesses, Canon has developed a dual processor system. The image processor board works with the scanner, adjusts images, and ensures superior image quality and ultra-fast processing. The information processor boards controls user interface and coordinates device networking and connectivity. The result is higher quality printouts with lesser wait.

Genuine Adobe Postscript 3

The imageRUNNER ADVANCED 6000 series supports Genuine Adobe PostScript 3 printing capability, enabling you to deliver the desired output quality without worrying about font compatibility. True PostScript capability also means seamless collaboration with PostScript workflows for faster and higher quality prints. You will also enjoy direct PDF printing and full support of Adobe fonts.



High Resolution Brilliant Printouts

Combine the E-drum imagePRESS technology with a 1200x1200 dpi printing resolution, and you will get sharp and vivid printouts, image consistency and high speed printing. Add to that an intelligent controller, and the imageRUNNER ADVANCE 6000 series truly brings you the crispest black and white printouts.

Fiery Print Controllers

For jobs that demand an exceptionally high level of productivity and advanced management workflow control, Canon provides a powerful Fiery print controller option. The imagePASS-U1 is Variable Data Printing (VDP) ready and support a variety of VDP languages.





ADVANCED PRODUCTIVITY

Advanced technology becomes simple with the Canon imageRUNNER ADVANCE. Simply add the modular units you need to further extend the functions of your device.

Professional Looking Documents

With Canon's optional accessories, it is easy to impress and inspire with professional-grade reports and presentations. Simply select the settings you want, ranging from automatic stapling, punching, collating, V-folding and even booklet creation function. For a compact footprint, internal stapling and collating units are also available as options.

High Speed Scanning

Canon's revolutionary Duplex Color Image Reader features a proprietary image sensor. This allows you to create 100 to 150 crystal-clear digital reproductions of black & white and color documents each time you press the button.

Paper Deck Unit Upgrade


High print count operations will benefit from the high capacity of optional Paper Deck Units. Paper Deck Unit-A1 and D1 adds an additional 3,500 sheets of A4 and A3 paper respectively. This translates to lesser time spent on paper loading and longer uptime for critical print jobs.

4-Line Fax

The imageRUNNER ADVANCE 6000 series supports optional Super G3 fax functionality for high-speed fax transmissions. The 4-line fax feature is capable of handling large volumes of fax documents, while ensuring lesser busy signals and greater connectivity. You can also save cost and space by consolidating multiple fax devices into one shared device.

Remote Fax Collaboration

With the optional Remote Fax Kit, you can also fax through other fax-capable imageRUNNER ADVANCE devices in the network, even if the one you are using does not have a fax-board installed. This means significant cost-savings and convenience.



ADVANCED DOCUMENT WORKFLOW

A healthy document workflow means a healthy business. With imageRUNNER ADVANCE 6000 series, you will find the most advanced, yet simple workflow.




Scan and Send

In one simple operation, you can distribute scanned documents to multiple destinations, such as email, fax destinations and network folders. The wide range of formats include standard High Compression PDF, Adobe PDF Reader Extensions, Searchable PDF, Encrypted PDF and XPS.

Advanced Box

Canon's new built-in document sharing solution simply makes sense. Multiple users can collaborate easily on a shared folder and access files from PCs or other networked imageRUNNER ADVANCE systems. Personal folders are also available for more sensitive documents. What's more, you can also preview the documents before printing them.



iW Function Flow

iW Function Flow is an imageRUNNER ADVANCE series core MEAP application that can transform time-consuming, multiple step tasks into simple workflows for each user. Scanning, e-mailing, faxing, and archiving can be done in one operation, all from a single button on the device control panel.

MEAP Connectors

MEAP Connectors bridge your Canon imageRUNNER ADVANCE and enable communication with external storage or document management systems. The software development kit (MEAP SDK) also enables third party vendors to develop systems based on your requirements. You can even create workflow tasks using the MEAP Connector with the PC-based Function Flow Editor tool.



ADVANCED MANAGEMENT

The imageRUNNER ADVANCE makes it easy to monitor and optimize your company's output.

Centralized Remote Control

Using the Remote User Interface, your IT managers and system administrators will be able to control and manage output devices without having to travel to each machine to check machines or update their status.

eMaintenance

Canon's unique eMaintenance allows intelligent remote administration of your imageRUNNER ADVANCE device. Remote meter readings provides real-time tracking, while the automatic fault reporting and consumables tracking instantly alerts Canon Customer Care for proactive actions such as accurate device maintenance or toner replenishment. In short, eMaintenance provides you with more up-time, convenience and greater productivity.

** eMaintenance works with most Canon copiers, printers and multifunctional devices. For more information on what models are supported, please contact Canon.*



ADVANCED SECURITY

Safeguard your business' sensitive documents without compromising on quality or speed.

Card Authentication controls access of devices in the office to authorized users with the use of optional ID cards.

Document Scan Lock embeds hidden tracking information in a document to restrict unauthorized copying or scanning, and track the origin.

Department ID restricts machine usage to those users with a valid ID and password.

Access Management System allows restriction of various features of copy, print, fax, scan, Mail Box by user, group or job function. You can even limit access for specific functions such as copying.

HDD Encryption and Erase encrypts information before it is written to the hard drive, and permanently removes it by overwriting when the job is complete.

iIEEE2600 Standard Conformity meets the industry requirements for hardcopy security in medical, finance, and other office environments.

Removable HDD Option enables hard disk drive to be removed and placed in a secure location when not in use.



Canon's imageRUNNER ADVANCE 6000 series is more than a black and white multifunctional device - it represents an integral innovation that is made for the heart of your business communication needs.

| SPECIFICATIONS | | imageRUNNER ADVANCE 6000 Series | |
|---------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Type | Console | | |
| Maximum Original Size | A3 | | |
| Copy Sizes | Cassette 1, 2 | A4, B5 | |
| | Cassette 3, 4 | 279mm x 432mm, A3, A4, A4R, B4, B5, 139.7mm x 182mm to 297mm x 487.7mm | |
| | Multi Purpose Tray | 279mm x 432mm, A3, A4, A4R, A5R, B4, B5, B5R Custom Size (100mm x 148mm to 297mm x 487.7mm), Free Size (100mm x 148mm to 297mm x 487.7mm) | |
| Resolution | Reading | 600dpi x 600dpi | |
| | Copying | 600dpi x 600dpi | |
| | Printing | 1200dpi x 1200dpi (Text/Line only) | |
| Copy/Print Speed | A4 | 6075: 75ppm (B&W) / 6065: 65ppm (B&W) / 6055: 55ppm (B&W) | |
| | A3 | 6075: 37ppm (B&W) / 6065: 32ppm (B&W) / 6055: 32ppm (B&W) | |
| Magnification | Copy Ratio | 25-400% | |
| First Copy Time | 6075: 3.1 seconds or less / 6065/6055: 3.3 seconds or less | | |
| Warm-Up Time | 38 second or less | | |
| Multiple Copies/Prints | 1 to 9,999 copies | | |
| Paper Weight | Cassette | 52 to 220gsm | |
| | Stack Bypass | 52 to 256gsm | |
| Paper Capacity | Cassette 1, 2 | 1,500sheets x 2 cassettes (80gsm) | |
| | Cassette 3, 4 | 550sheets x 2 cassettes (80gsm) | |
| | Multi Purpose Tray | 100 sheets (80gsm) | |
| | Paper Deck | 3,500sheets (80gsm) | |
| CPU | 1.2GHz | | |
| Memory | Standard: 1.5GB RAM / Maximum: 2GB RAM | | |
| Hard Disk Drive | Standard: 80GB / Maximum: 250GB | | |
| Interface | Ethernet (1000BaseT/100Base-Tx/10Base-T) | | |
| | Wireless LAN (IEEE802.11b/g, Optional), USB 2.0 | | |
| Power Supply | 220-240V AC, 50/60Hz, 10A | | |
| Power Consumption | 2.2kW or less | | |
| Toner (Estimated Yield @ 6% Coverage) | Black-and-White | 56,000 | |
| | Drum Yield | Black-and-White 6,000,000 | |
| Dimensions (H x W x D) | 1,040 x 645 x 770 mm (with platen cover) | | |
| | 1,220 x 645 x 770 mm (with DADF) | | |
| | 1,252 x 1,481 x 770 mm (with DADF and Upright Control Panel) | | |
| Weight | Approx. 237kg (with toner bottle and DADF) | | |
| Print Specification | | | |
| PDL | UFR II (Standard), PCL5e/6 (optional), Adobe PostScript 3 (optional) | | |
| Resolution | 1200dpi x 1200dpi (text/line only) | | |
| Memory | Standard: 1.5GB RAM / Maximum: 2GB RAM | | |
| Hard Disk | Standard: 80GB / Maximum: 250GB | | |
| CPU | Canon Custom Processor, 1.2GHz (Uses Main unit CPU) | | |
| PS Fonts | Roman 136 | | |
| PCL Fonts | Roman93, Bitmap10, OCR2 | | |
| Supported OS | PCL | Windows 2000/XP/Server2003/Vista/Server2008/Win7 | |
| | Adobe PostScript 3 | Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) | |
| UFR II | Windows 2000/XP/Server2003/Vista/Server2008/Win7, Mac OSX (10.4.9 or later) | | |
| Mac-PPD | Mac OS 9.1 or later, Mac OSX (10.2.8 or later) | | |
| Interface | Ethernet (1000BaseT/100Base-Tx/10Base-T) | | |
| | Wireless LAN (IEEE802.11b/g, Optional), USB 2.0 | | |
| Network Protocol | TCP/IP (LPD/Port9100/WSD/IPP/PPS/SMB/FTP), IPv6, IPX/SPX (NDS, Bindery), AppleTalk | | |
| Pull Scan | Network TWAIN Driver (75 to 600dpi 24bit color/8bit grayscale/2bit Black & White) | | |
| Optional Accessories | | | |
| imagePASS-U1 | | | |
| PDL | PCL5c/6, Adobe PostScript 3 | | |
| Resolution | 1200dpi x 1200dpi (Print) / 600dpi x 600dpi (Scan) | | |
| CPU | Intel T2500 Core Duo 2.0GHz | | |
| Memory | 2GB (2x1GB) DDR2 | | |
| Hard Disk Drive | 80GB SATA | | |
| Removable Storage | DVD-ROM/CD-RW | | |
| PS Fonts | 136 Adobe PS Fonts | | |
| PCL Fonts | N/A | | |
| Supported OS | Windows 2000/XP/Server2003/Server2008/Vista/Vista SP1, Mac OSX (10.3.9 or later) | | |
| Interface | 4 USB (Front 1, Rear 3) | | |
| Network Protocol | TCP/IP (LPD/Port9100/IPP/SMB/FTP/SNMP), IPv6, AppleTalk | | |
| Send Specification (Standard) | | | |
| Scan Speed (A4, 300dpi) | Black & White: 120ipm / Color: 85ipm | | |
| Scan Resolution | 600dpi x 600dpi | | |
| Destinations | Email/Internet FAX (SMTP), PC (SMB, FTP), iWDM, WebDAV | | |
| Address Book | LDAP, Local (Max. 1800) | | |
| File Format | TIFF, JPEG, PDF, XPS, High compression PDF/XPS, PDF/A-1b, Optimize PDF for web | | |

To arrange for a demonstration, simply contact any of our offices below.

Canon
Delighting You Always

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte. Ltd.
1 HarbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632
Tel: +65-6799 8888 | Fax: +65-6799 8882
www.canon-asia.com
www.canon.com.sg

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

Afghanistan:

Megaplus Afghanistan Limited
House No. 233, Street No. 4, Charagh Ali,
Qilla-e-Fatehullah, Kabul, Afghanistan
Tel: 93-700 228 832 / 93-700 979 511
Fax: 93-202 201 259
Email: info@megaplus.com.af

Bangladesh:

Flora Limited
Adamjee Court Annex-2 (4th Floor)
119-120 Motijheel Commercial Area
Dhaka 1000 Bangladesh
Tel: 880-2-716-2742-46 / 225
Fax: 880-2-955-0030
www.floralimited.com

Brunei:

Interhouse Company
No. 5-7 Bunut Jaya Complex
Spq 574 Jalan Tutong BF1320
P.O. Box 423, Seri Complex
Bandar Seri Begawan BA 1779
Brunei Darussalam
Tel: 673-2-653-001
Fax: 673-2-653-003

Cambodia:

Royal Cambodia Co., Ltd
#437 Preah Monivong Blvd
Phnom Penh
Kingdom of Cambodia
Tel: 855-23-428955
Fax: 855-23-722961

Hong Kong:

Canon Hongkong Co. Ltd
19F, The Metropolis Tower
10 Metropolis Drive
Hunghom, Hong Kong
Tel: 852-3191-2388
Fax: 852-2369-3800
www.canon.com.hk

India:

Canon India Private Limited
7th Floor, Tower B, Building #5
DLF Cyber Terraces, DLF Phase-3
Gurgaon - 122002
Haryana, India
Tel: 91-124-416 0000
Fax: 91-124-416 0011
www.canon.co.in

Indonesia:

PT Samafitro
Jalan Ir. H Juanda No.8
Jakarta 10120, Indonesia
Tel: 62-21-345 8989
Fax: 62-21-345 6699
www.samafitro.co.id

Malaysia:

Canon Marketing (Malaysia) Sdn Bhd
Block D, Peremba Square
Saujana Resort Section U2,
40150 Shah Alam
Selangor Darul Ehsan, Malaysia
Tel: 60-3-7844 6000 / 7845 0055
Fax: 60-3-7844 6196 / 6198
www.canon.com.my

Maldives:

Simdi Company Pvt Ltd.
G.Manaam Building,
2/1 Neeloafaru Magu,
Male' 20-129, Maldives
Tel: 960-333 4421
Fax: 960-333 4424

Myanmar:

Myanmar Golden Rock International Co., Ltd
Level 6, FJV Commercial Centre
No. 422-426, Strand Road
Botataung Township
Yangon, Myanmar
Tel: 95-1-202092 to 96
Fax: 95-1-202079
Email: sales@mgr.com.mm


Nepal:

International Electronics Concern (P) Ltd
Kha 14, 1st Floor
Haratibhawan Putalisadak
Ramshah Path, Kathmandu, Nepal
P.O. Box 12588
Tel: 977-1-442 1991
Fax: 977-1-442 1909

This document is for information purpose only. The contents are subject to change without notice. Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. Other names may be the trademarks of their respective owners.

uniFLOW is an independent party software distributed by Canon Singapore Pte. Ltd.



Integrated Solutions IR ADVANCE Features Cloud Computing

To integrate more capabilities into your imageRUNNER ADVANCE device, simply speak with your friendly Canon representative.

| | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Universal Send Advanced Feature Set-E1 | | | |
| File Format | Outline PDF (Trace & Smooth), Searchable PDF/XPS, Reader Extensions PDF | | |
| Universal Send Security Feature Set-D1 | | | |
| File Format | Encrypted PDF, Device Signature PDF/XPS | | |
| Duplex Color Image Reader Unit-C1 | | | |
| Paper Size | A3, A4, A4R, A5, A5R | | |
| Paper Weight | Single Sided Original: 38 to 220gsm, Double Sided Original: 64 to 220gsm | | |
| Max. Number of Originals | 300 sheets (80gsm) | | |
| Scanning Speed (max) | Copy (Single Side): A4 120ipm@600dpi (B&W) Scan (Single Side): A4 120ipm@300dpi (B&W), 85ipm@300dpi (Color) Copy (Double Side): A4 120ipm@600dpi (B&W) Scan (Double Side): A4 200ipm@300dpi (B&W), 100ipm@300dpi (Color) | | |
| Dimensions (H x W x D) | 253 x 633 x 603mm | | |
| Weight | 39.4 kg | | |
| Color Image Reader Unit-C1 | | | |
| Paper Size | A3, A4, A4R, A5, A5R | | |
| Paper Weight | Single Sided Original: 38 to 220gsm, Double Sided Original: 64 to 220gsm | | |
| Max. Number of Originals | 300 sheets (80gsm) | | |
| Scanning Speed (max) | Copy (Single Side): A4 85ipm@600dpi (B&W) Scan (Single Side): A4 85ipm@300dpi (B&W), 85ipm@300dpi (Color) Copy (Double Side): A4 40ipm@600dpi (B&W) Scan (Double Side): A4 40ipm@300dpi (B&W), 40ipm@300dpi (Color) | | |
| Dimensions (H x W x D) | 179 x 633 x 603mm | | |
| Weight | 27.4kg | | |
| Staple Finisher / Booklet Finisher-E1 | | | |
| Number of Tray | 3 Trays | | |
| Paper Size | A3, A4R, A5, A5R, Custom Size (100 x 148mm to 297 x 487.7mm) | | |
| Paper Weight | 52 to 256gsm | | |
| Tray Capacity | No Collating Mode | Tray A: A4, A5R 250 sheets / A3, A4R 125 sheets Tray B: A4, A5R 1,300 sheets / A3, A4R 650 sheets Tray C: A4 2,450 sheets / A5R 1,700 sheets / A3, A4R 650 sheets | |
| | Collate, Group Mode | Tray B: A4 1,300 sheets / A3, A4R 650 sheets Tray C: A4 1,700 sheets / A3, A4R 650 sheets | |
| | Staple Mode | Tray B, C: A4 1,300 sheets/100 sets / A3, A4R 650 sheets/50 sets | |
| | Z-Fold Mode | Tray B, C: A3 up to 30 sheets, 10 sheets per set when stapling / A4R up to 10 sheets | |
| Staple Capacity | A4 50 sheets (80gsm) / A3, A4R 30 sheets (80gsm) | | |
| Saddle Stitch (for Booklet Finisher-E1 only) | 1 to 5 sheets/25 sets, 6 to 10 sheets/15 sets, 11 to 16 sheets/10 sets | | |
| | Paper Size | A3, A4R | |
| | Staple Capacity | 16 sheets (80gsm) | |
| Staple Position | Staple Finisher | Corner, Double | |
| | Booklet Finisher | Corner, Double, Saddle Stitch | |
| Dimensions (H x W x D) | 1,121 x 649 x 656mm | | |
| Weight | Staple Finisher: Approx. 48kg / Booklet Finisher: Approx. 70.5kg | | |
| Other Optional Accessories | | | |
| Tab Feeding Attachment Kit-B1, External 2/3 Hole Puncher-A1, Copy Tray-Q1, Shift Tray-E1, Utility Tray-A1, Upright Control Panel-B1, USB Keyboard, Card Reader-C1, ADF Access Handle-A1, Copy Control Interface Kit-A1, PCL Printer Kit-A1, P5 Printer Kit-A1, Direct Print Kit (for PDF)-H1, Direct Print Kit (for XPS)-H1, Encrypted Secure Print Software-D1, Barcode Printing Kit-D1, Web Access Software Kit-H1, Super G3 FAX Board-AF1, Super G3 2nd Line Fax Board-AF1, Super G3 3rd/4th Line Fax Board-AE1, Remote Fax Kit-A1, Secure Watermark-B1, Wireless LAN Board-B1, USB Device Port-A1, Multimedia Reader/Writer-A1, Additional Memory TypeB (512MB), Document Scan Lock Kit-A1, Data Erase Kit-C1, HDD Data Encryption & Mirror Kit-C2, Removable HDD Kit-AD1, 80GB HDD-C1, 250GB HDD-C1, IPsec Board-B2, Expansion Bus-F1, Voice Guidance Kit-F1, Remote Operator's Software Kit-B1 | | | |

